

SPECIFICATION

Service	NHS Health Checks – Pharmacy
Council Lead	Angela Hannant Public Health Programme Lead
Provider Lead	See Contract Particulars
Period	1ST April 2018 - 31st March 2019

1. Population Needs

This Specification is intended for pharmacy staff to provide a standardised approach to delivering the NHS Health Check service.

1.1 National/local context and evidence base

The NHS Health Check Programme aims to improve health and wellbeing of adults aged 40-74 years through the promotion of earlier awareness, assessment, and management of the major risk factors and conditions driving premature death, disability and health inequalities in England. CVD is one of the conditions most strongly associated with health inequalities, with death from CVD three times higher among people in the most deprived communities compared to those that in the most affluent. The NHSHC provides a systematic mechanism for identifying and managing people with the common risk factors driving CVD, stroke, type 2 diabetes, kidney disease and dementia.

Reducing avoidable premature mortality is a government priority. For males 28% of the gap in life expectancy between the most and least deprived fifth of areas in England is due to excess deaths from circulatory diseases, and for females this figure is 24%. If diabetes and urinary conditions are added to circulatory diseases, then excess deaths from these conditions together contribute to 31% of the gap between the most and least deprived fifth in England for males and 28% for females. Additionally, the cost of social and health care from the rise in levels of obesity, type 2 diabetes and dementia makes the prevention and risk reduction of these conditions key drivers of the programme.

CVD prevention, early detection and management

The NHS Health Check is a systematic vascular risk assessment and management programme to help prevent cardiovascular diseases (CVD) including heart disease, stroke, diabetes, dementia and kidney disease. Local authorities are mandated to commission the risk assessment element of the NHS Health Check programme under the Health and Social Care Act (2012). Where additional testing and follow up is required, for example, where someone is identified as being at high risk of having or developing vascular disease, this remains the responsibility of primary care and will be funded through NHS England.

The Department of Health estimated that the programme could prevent 1,600 heart attacks and strokes, at least 650 premature deaths, and identify over 4,000 new cases of diabetes each year. At least 20,000 cases of diabetes or kidney disease could be detected earlier, allowing individuals to be better managed to improve their quality of life. The estimated cost per quality adjusted life year (QALY) is approximately £3,000. The evidence also shows that the programme isn't just reaching the worried well, there is equitable access among groups with the greatest CVD risk. The evidence reviews for the programme can be found here http://www.healthcheck.nhs.uk/commissioners_and_providers/evidence/

The NHS Health Check programme aims to:

- improve life expectancy for local people
- reduce the life expectancy gap due to vascular disease between Gateshead and the rest of England through the provision of NHS Health Checks (risk identification, assessment and management) for 40-74 year olds, not previously diagnosed with vascular disease
- promote and improve the early identification and management of the individual behavioural and physiological risk factors for vascular disease and the other conditions associated with these risk factors
- support individuals to effectively manage and reduce behavioural risks and associated conditions through information, behavioural and evidence based clinical interventions

The NHS Health Check Programme offer is for each eligible person aged 40-74 to be offered a NHS Health Check once in every five years and for each person to be recalled every five years if they remain eligible. There are national programme standards set out in the NHS Health Check Programme Best Practice Guidance (Dec 2017) [Commissioners and providers - Resources - NHS Health Check](#):

- the risk assessment includes specific tests and measurements
- the person having their health check is told and understands their cardiovascular risk score,
- other results are communicated to them,
- Tailored lifestyle advice and behaviour change support
- specific information and data is recorded and,
- where the risk assessment is conducted outside the Service User's GP practice, for that information to be forwarded to the responsible GP and recorded in the patient records.
- That individuals get the lifestyle and clinical follow up needed to reduce their risk of CVD.

Since 2013, the programme has also aimed to reduce levels of alcohol related harm, and to raise awareness of the signs of dementia and signpost people for help. Everyone attending a NHS Health Check will have their alcohol consumption risk assessed. From 2018 Dementia risk reduction messaging is to be included in the NHS Health Check, for everyone eligible, aged 40-74. Please refer to NHS Health Check Programme Best Practice Guidance (Dec 2017).

The Department of Health expects 20% of the eligible population to be invited each year over the five year rolling programme with a continuous improvement in the

percentage of eligible individuals taking up the offer. This means target uptake moving from a minimum 50% towards an aspirational 75% of eligible people.

One of the programme's objectives is to reduce health inequalities. Local authorities may tailor the delivery of the programme in a number of ways to achieve this. Although local authorities have a duty to offer the NHS Health Check to all eligible people, PHE supports approaches that prioritise invitations to those with the greatest health risk. For example, by prioritising invitations to people with an estimated ten-year CVD risk score greater than 10% or those living in their most deprived areas.

The persistent inequality between the least and most deprived areas in England is a further reason for the pressing need to improve the scale and reach of preventive services. In order for NHS Health Checks to be effective at reducing health inequality, it is important to have high and equitable uptake in high risk populations, as risk factors of tobacco use, high blood pressure, excess alcohol consumption, high cholesterol and being overweight are key reasons for inequalities in health and life expectancy.

The NHS Health Check programme can reduce health inequalities by:

- increasing healthy life expectancy by through lifestyle and clinical management of risk factors that cause preventable disease and disability
- reducing differences in healthy life expectancy and overall life expectancy within and between communities at ward level within local authorities
- reducing premature preventable death by assessing the risk of developing a condition and providing necessary treatment if the condition presents itself

In addition, local areas will wish to ensure that the NHS Health Check programme they offer is in keeping with the Equality Act 2010. This duty recognises that equality of opportunity cannot be achieved simply by treating everyone the same. Active consideration should be given locally with regard to both access to and delivery of the NHS Health Check for everyone but specifically in respect of those who share one of the nine protected characteristics: age, disability, gender reassignment, pregnancy and maternity, race – this includes ethnic or national origins, colour or nationality, religion or belief – this includes lack of belief, sex, sexual orientation. For example, the way that wheelchair users access their NHS Health Check, as well as how their risk assessment is undertaken and how they are supported to improve their lifestyle will require specific consideration and action.

An effective way to find people with undiagnosed heart disease is through NHS Health Checks. The Quality and Outcomes Framework (QOF) is a voluntary incentive scheme for GP practices in the UK. The QOF contains groups of indicators, against which practices score points according to their level of achievement, rewarding contractors for the provision of quality care. The NHS Health Check aligns strongly with QOF, supporting the achievement of a number of assessment and clinical management indicators. These are summarised in annex A (p64) of NHS Health Check Best Practice Guidance (Dec 2017).

The Provider is to adopt a motivational interviewing technique in delivering NHS Health Checks, which is also used in the House of Care approach adopted by GP Practices and promoted by the CCG. Trained health care professionals i.e. GPs and Nurses are trained to communicate risk and diagnosis as part of their professional

training. Other primary care staff who deliver NHS Health Checks must be trained appropriately for the element of NHS Health Checks they are delivering e.g. collecting data (height and weight), using equipment for point of care testing and/or undertaking a NHS Health Check assessment and informing Service Users of their level of risk. The provider is required to offer lifestyle advice and brief interventions where appropriate. for e.g. stop smoking brief advice, physical activity brief intervention, alcohol brief intervention. Training requirements are detailed in Schedule 1 - conditions precedent section of this Specification. Training requirements are detailed in Schedule 1 - conditions precedent section of this contract.

In Gateshead, over the last few years, there has been a consistent approach to driving up the number of NHS Health Checks delivered. The Gateshead NHS Health Checks programme appears to be finding people at high risk of CVD. For every 10 health checks, 2 new high risk individuals are identified and 1 person with previously unrecognised hypertension (Lambert, M (2015) Assessing potential local routine monitoring indicators of reach for the NHS health checks programme. Public Health. journal homepage: www.elsevier.com/puhe)

Data on the performance of the national NHS Programme by regions and local areas can be found here

http://www.healthcheck.nhs.uk/commissioners_and_providers/data/. For Gateshead 2013-18 (5 year cumulative) 64,799 people have been offered an NHS Health Check, and 33,585 have received an NHS Health Check. This is 51.8% uptake of people offered who then had an NHS Health Check.

In Gateshead local data is also recorded on outcomes following an NHS Health Check such as lifestyle interventions and diagnoses.

The key to optimising the clinical and cost effectiveness of the NHS Health Check programme is to ensure a high percentage of those offered a NHS Health Check actually receive one. This is especially important for populations with the greatest health needs and will impact on the programme's and local area's abilities to narrow health inequalities. Quarterly feedback is shared with all providers so progress against targets can be monitored.

Further information on the Public Health Outcomes Framework can be found here: <http://www.phoutcomes.info/>

Further information on the health issues for Gateshead can be found here: [Health and Wellbeing Board](#) and [Joint Strategic Needs Assessment](#)

2. Key Service Outcomes

The service is to be provided in a manner that will contribute to achievement of the following outcomes from the Public Health Outcomes Framework:

- Cumulative percentage of the eligible population aged 40-74 offered a NHS Health Check in the five year period 2013/14 - 2017/18 (2.22iii).
- Cumulative percentage of eligible population aged 40-74 offered a NHS Health Check who received a NHS Health Check in the five year period 2013/14 - 2017/18 (2.22iv).
- Cumulative percentage of eligible population aged 40-74 who received a

- NHS Health Check in the five year period 2013/14 - 2017/18 (2.22v)
- Mortality rate from causes considered preventable (4.03)
 - Under 75 mortality rate from all cardiovascular diseases (4.04i)
 - Under 75 mortality rate from all cardiovascular diseases considered preventable (4.04ii)
 - Excess weight in adults (2.12)
 - Percentage of physically active adults (2.13i)
 - Prevalence of smoking among persons aged 18 years and over (2.14)
 - Recorded Diabetes (2.17)
 - Alcohol-related hospital admissions (2.18)
 - Estimated diagnosis rate for people with dementia (4.16)
 - Overarching indicators for life expectancy and inequality

The following outcomes are to be achieved by the Provider under this Contract:

- Minimum of 120 NHS Health Checks completed over a 12 month period by the Provider
- Hard copy of NHS Health Check results given by the Provider to each Service User
- Hard copy of NHS Health Check results given by the Provider to General Practitioner (“GP”) for each of their Service Users within 48 hours.
- All Service Users identified as being high risk will be followed up by the Provider via telephone after 4 weeks to determine whether or not they have made an appointment to see their GP.
- A summary list of all Service Users, who have undertaken the NHS Health Check, is given to GPs on a monthly basis by the Provider.

3. Scope

The aim of this Service is to prevent heart disease, stroke, diabetes and chronic kidney disease by identifying risk factors and managing them appropriately in the eligible population.

The NHS Health Check programme provides a structured approach to cardiovascular risk management for all people aged 40-74 years old, who are not already on any patient risk register.

Through the check, their risk of heart disease, stroke, kidney disease and diabetes is assessed through some straightforward tests and standard questions about their lifestyle and family medical history.

Personalised advice and support is then offered to help lower the risk of developing cardiovascular disease.

Those with low or moderate risk are likely to receive advice about changes to their lifestyle, whilst individuals with a higher risk may also be offered medical support (in addition to lifestyle advice) through primary care and onward referral to other specialist support services e.g. smoking cessation and/or weight management.

The scope of the programme is:

- Identification of those people who are eligible (including targeting of hard to reach populations)
- Risk assessment and identification of associated risk factors
- Communication of results and level of risk
- Management of risk (including advice, brief interventions, referral for clinical support, signposting and referral to other services if appropriate)

INVITATION & ENGAGEMENT

- Identification of the eligible population using a pre-check questionnaire
- Exclusion criteria:
 - coronary heart disease
 - chronic kidney disease (CKD) which has been classified as stage 3, 4 or 5 within the meaning of the National Institute for Health and Care Excellence (NICE) clinical guideline 182 on Chronic Kidney Disease
 - diabetes
 - hypertension
 - atrial fibrillation
 - transient ischaemic attack
 - hypercholesterolemia
 - heart failure
 - peripheral arterial disease
 - stroke
 - prescribed statins
 - people who have previously had a NHS Health Check, or any other check undertaken through the health service in England, and found to have a 20% or higher risk of developing cardiovascular disease over the next ten years
- Invitation of the eligible population
- Use a proactive approach to reach those living in the most deprived quintiles, to address health inequalities, and those potentially at higher risk because of known risk factors such as tobacco, alcohol, obesity.
- To encourage uptake of the Health Check through promotion and marketing.

RISK ASSESSMENT

- face to face assessment of a Service User's cardiovascular risk (which includes heart disease, diabetes, chronic kidney disease and stroke risk)
- Calculation of risk score using QRisk 2 The following tests and measures must be completed during the risk assessment and the results recorded:
 - age
 - gender
 - smoking status
 - family history of coronary heart disease
 - ethnicity
 - body mass index (BMI)
 - cholesterol level


- blood pressure
- physical activity level
- alcohol use disorders identification test (AUDIT) score
- cardiovascular risk score
- The individual having an NHS Health Check must be told their BMI, cholesterol level, blood pressure and AUDIT score as well as their cardiovascular risk score. In addition, Dementia risk reduction messaging to be included in the NHS Health Check, for everyone eligible, aged 40-74.
- Communication of cardiovascular disease risk to Service Users in a way which is understood. Everyone having the NHS Health Check should be provided with individually tailored advice that will help motivate them and support the necessary lifestyle changes to help them manage their risk.
- The Provider will provide lifestyle advice to ALL Service Users having a Health Check, regardless of their risk score on how to maintain/improve their vascular health, unless deemed clinically inappropriate. Lifestyle advice and support includes providing brief interventions.
- Lifestyle measures that can reduce CVD risk include:
 - Smoking cessation.
 - Weight loss if overweight or obese.
 - Eating a healthy diet.
 - Keeping alcohol consumption within the recommended limits.
 - Being physically active.
- Every Service User who has a NHS Health Check must have their cardiovascular risk score communicated to them. The person having their check should also be told their BMI, cholesterol level, blood pressure and AUDIT score.
- A diagram of the risk assessment and management can be seen below. (Figure 2).
 - If level of risk is less than 10% provide tailored lifestyle advice based on the assessment results. This may include written information, brief interventions, lifestyle support from the Pharmacy or signposting/referral to other local services for e.g. stop smoking support. Our Gateshead is a community website with information on events, activities, groups in Gateshead <https://www.ourgateshead.org/>.
It must be made clear both verbally and in writing that service users do not need to seek further follow up from their GP, and that they only need a Health Check once every 5 years.
 - If level of risk is 10% or greater treatment with statins may be recommended in addition to lifestyle changes. This may include written information, brief interventions, lifestyle support from Pharmacy or referral to other local services for e.g. stop smoking support. If Service User agrees to statins, they will be considered as being managed and will not be eligible for further NHS Health Checks. If the Service User refuses statins, they will be eligible for a NHS Health Check in five years. If the service user needs further follow up from their GP, they should be advised of the relative urgency of this follow-up and this should also be recorded on their Health Checks results leaflet.
 - If level of risk is 20% or greater, the Service User should be transferred

to the appropriate treatment pathway in Primary care, in addition to lifestyle advice/support. This may include written information, brief interventions, lifestyle support from Pharmacy or referral to other local services for e.g. stop smoking support.

If the service user needs further follow up from their GP, they should be advised of the relative urgency of this follow-up and this should also be recorded on their Health Checks results information.

- See diagram below - Overview of the vascular risk assessment and management programme. NHS Health Check Programme (Best Practice Guidance, Dec 2017)

Figure 2. Overview of the vascular risk assessment and management programme



RISK MANAGEMENT

Management of risk factors in line with National Best Practice and NICE guidance including:

- Advice on lifestyle risk factors and signposting to other services as appropriate for all Service Users
- Providing brief lifestyle interventions for e.g. stop smoking brief advice, physical activity brief intervention, alcohol brief intervention.
- Medical management of cardiovascular risk if required. Please refer to diagram above for further tests and exits from the programme.
- To appropriately manage risk, personalised interventions or treatment plans offered for these Service Users in line with clinical guidance.
- To increase awareness of dementia risk reduction messages for everyone eligible, aged 40-74.
- To provide advice on maintaining healthy lifestyles for all levels of risk and referral to health improvement services where appropriate. This may include written information, brief interventions, lifestyle support from Pharmacy or referral to other local services for e.g. stop smoking support.
- To collect and record data in the PharmOutcomes system and share results with Primary Care.

QUALITY ASSURANCE

- It is important to consider how the NHS Health Check tests and measurements are standardised and quality assured.
- Copy of results given to Service User, in an appropriate language and format, using the standardised results report on PharmOutcomes
- Accurate recording and coding of NHS health check
- Record on PharmOutcomes all NHSHCs and share results with GP.
- Providers using Point of Care Testing equipment for e.g. LDX Cholestech Machine or equivalent, to perform required checks with every use of machine and monthly external quality assurance testing (for e.g. Bolton Quality Assurance Testing). These EQA results are required to be shared with the Council. Further information can be found in Section 3.2 after the Cholesterol section.

If equipment is not used correctly, there is a risk that incorrect readings are given, affecting the risk score and potentially the clinical management of the individual. Incidents should be reported as soon as possible. Some apparently minor incidents may have greater significance when aggregated with other similar reports. Each POCT location is required to be registered in and participating in an appropriate EQA programme through an accredited (CPA or ISO 17043) provider. Further information quality control for POCT can be found in the NHS Health Check Programme Standards (Standard 5 p18

https://www.healthcheck.nhs.uk/commissioners_and_providers/guidance/national_guidance1/).

- Motivational interviewing techniques should be used to guide, encourage

- and support behaviour change
- All staff involved in the NHS Health Check Programme should be trained and supervision provided as appropriate.
 - The Provider will carry out NHS Health Checks in accordance with best practice advice provided by the National NHS Health Checks Team http://www.healthcheck.nhs.uk/national_guidance/ and Gateshead Council's policies and procedures.
 - Ensure there are clear documented procedures for infection control, storage and disposal of clinical waste, needle stick injuries/spillage and SUI's
 - Work with Gateshead Council as appropriate to support delivery of the NHS Health Check Programme
- The Provider is required to share information to Gateshead Council upon request, on the names of staff delivering NHS health checks in practice, and a named lead contact for NHC, and where appropriate a named lead contact for POCT.
- The Provider must maintain adequate records of the Service provided, incorporating all known information relating to any significant events.
 - The Provider must have a system for collecting data on adverse incidents, which should be aligned to the relevant guidance contained in Gateshead Council Serious Incident Reporting Policy. Please refer to Schedule 1 of the Terms and Conditions for serious incident reporting procedure (The Council will provide a copy of the policy upon request and training can be arranged).


3.2 Service description/pathway

Figure 1 shows a diagram of the National NHS Health Check Programme

NHS Health Check: Best practice guidance

Figure 1. NHS Health Check pathway

NHS Health Check



10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

IDENTIFICATION AND INVITATION OF ELIGIBLE POPULATION

The invitation could be in the form of a letter, telephone call, text message or other communication as preferred by the Provider and Service User. An information leaflet about the NHS Health Check is available here:

http://www.healthcheck.nhs.uk/information_leaflets The information leaflet, as recommended by the DH is also available in Braille, large print and audio versions. Paper copies can be ordered via the Department of Health orderline: <https://www.orderline.dh.gov.uk/> and search for NHS Health Checks. The provider must be registered with the DH Orderline to be able to utilise the free information leaflets.

A template invitation letter is also available

http://www.healthcheck.nhs.uk/inviting_your_population/. Mixed methods of invitation, such as using letter, opportunistic discussion, telephone and text messaging have been shown to increase uptake.

Health inequalities are the unfair and avoidable differences in people's health across social groups and between different population groups. Health inequalities can result in people who are worst off experiencing poorer health and shorter lives. CVD is one of the conditions most strongly associated with health inequalities, with death from CVD three times higher among people in the most deprived communities compared to those that in the most affluent. CVD risk factors tend to cluster together, which has a disproportionate effect on people who are disadvantaged, further increasing inequalities. Tackling these risk factors will also help prevent other major causes of death and illness, such as type 2 diabetes and many cancers. Public Health England supports approaches that prioritise invitations to those with the greatest health risk. This could include, for example, prioritising invitations to people with an estimated 10 year CVD risk score greater than 10% or those living in the most deprived areas.

To help reduce health inequalities, the Provider could invite those living in areas of Gateshead with the most deprivation as a priority, and/or with known risk taking behaviour as a priority e.g. to identify those in the 40-74 age range without an existing diagnosis who smoke, are overweight and/or use alcohol at harmful levels (>14 units per week for men and women). A map showing Gateshead's Lower Super Output Areas by deprivation can be found here: <http://www.gateshead.gov.uk/Health-and-Social-Care/JSNA/Topics/Population-and-Deprivation/Deprivation/Deprivation.aspx>

NEW - From April 2018 LSOA will be monitored for invitations and uptake of NHS Health Check's to understand in more detail the equity of uptake and inform any future targeted approaches.

Promotion and Marketing

The Provider is required to promote the uptake of NHS Health Checks and to promote NHS Health Check campaigns. The NHS Health Check <http://www.healthcheck.nhs.uk/> provides up-to-date NHS data, syndicated content for websites, toolkits and branded materials to help with promotion and marketing. Materials can be downloaded for print. You will need to register for full access. There is a factsheet with Top tips to increasing the uptake of NHS Health Checks

(August 2016)

http://www.healthcheck.nhs.uk/commissioners_and_providers/guidance/national_guidance1/

The Health Checks information leaflet can also be downloaded or ordered for free through the Department of Health (DoH) Order line

https://www.orderline.dh.gov.uk/ecom_dh/public/home.jsf

The leaflet is available in a range of different languages and accessible formats. They can be ordered directly through the DoH Order line. You will need to register your details to make orders. Maximum limits apply.

The Dementia Health Check leaflet can also be ordered via the DoH Order line website (as above).

The NHS Choices website provides public facing information on what to expect from an NHS Health Check and what to do after having a check. It also includes a service directory that provides information on where individuals can get a check in their area. heart age calculator is also available on NHS Choices and, where appropriate, will prompt users to have an NHS Health Check.

All NHS Health Check content (including videos, links and apps) on NHS Choices is available to stream onto any website, for free, providing an easy way to keep public information on the programme up to date on your own website. Visit the NHS Health Check website to find out more or complete the registration form and a member of the NHS Choices team will contact you to talk through the process.

The One You website provides public facing information on lifestyle choices and how they can influence disease prevention in later life. NHS Health Check is a part of the One You campaign, under the 'Checking' section on the One You website, which provides the public with information on the NHS Health Check and links directly to the materials on NHS choices mentioned in the section above.

Social marketing Our Gateshead has information on NHS Health Check Providers and where to get a NHSHC <https://www.ourgateshead.org/resources/nhs-health-checks-gateshead>

One You Gateshead also has information on NHSHC's (Facebook www.facebook.com/OneYouGateshead or Twitter www.twitter.com/OneYouGateshead)

Our Gateshead has details of services, groups, events in Gateshead

www.ourgateshead.org/oneyou

NHS HEALTH CHECK ASSESSMENT

The Provider will initially complete a pre-check questionnaire with the Service User to ascertain eligibility for entering into the Service.

In line with national guidance, a NHS Health Check will be undertaken and the results inputted into PharmOutcomes.

For further guidance on the Health Check Assessment, please refer to Chapter 3 The Risk Assessment of the NHS Best Practice Guidance

Everyone receiving a NHS Health Check is to have a risk assessment from the Provider which will look at individual risk factors, as well as their risk of having, or developing, vascular disease in the next ten years. During the assessment, the Provider is to ensure that the specific tests and measures listed below are completed during the risk assessment and that the results are recorded:

- Age
- Gender
- Smoking status
- Family history of coronary heart disease
- Ethnicity
- Body Mass Index (BMI)
- Cholesterol
- Point of care testing
- Quality Assurance for POCT
- Blood Pressure
- Physical Activity Level
- Alcohol Use Assessment
- Diabetes risk assessment (including waist measurement)
- Dementia
- Cardiovascular risk score (QRisk2)

- **AGE**

Data required: age recorded in years.

Thresholds: the age of the individual should be 40-74 years (inclusive).

- **GENDER**

Data required: the gender should be recorded as reported by the individual. If the individual discloses gender reassignment, they should be provided with CVD risk calculations based on both genders and advised to discuss with their GP which calculation is most appropriate for them as an individual.

- **SMOKING STATUS**

Data required: non-smoker, ex-smoker, light smoker (fewer than 10 a day), moderate smoker (11-19 a day), heavy smoker (≥ 20 a day).

It is important to use every opportunity to systematically identify people who smoke and deliver very brief advice (VBA) and follow up, where appropriate, with a referral into effective support. This very brief advice consists of three steps:

- ASK – establish and record smoking status
- ADVISE – advise that the best way to stop is with a combination of pharmacotherapy and support
- ACT – offer a referral to a specialist service

A smoker who wants to stop, should be offered the support of a local stop smoking service.

- **FAMILY HISTORY OF CORONARY HEART DISEASE**

Data required: information on family history of coronary heart disease in first-degree relative under 60 years.

Key points: first-degree relative means father, mother, brother or sister.

- **ETHNICITY**

Data required: self-assigned ethnicity using one of the following categories: white/not recorded, Indian, Pakistani, Bangladeshi, other Asian, black African, black Caribbean, Chinese, other including mixed.

Key points: ethnicity is needed for the diabetes risk assessment. Ethnicity should be recorded using the Office for National Statistics 2001 census codes.

- **BODY MASS INDEX (BMI)**

Data required: BMI is required for the CVD risk calculation.

Data required: BMI is calculated from the weight divided by the height squared of the individual.

Key points: if the individual cannot have their height and/or weight measured, including amputees, the individual's waist circumference, in supine position where possible, can be used to assess whether the person is overweight or obese, and their risk of developing diabetes. The thresholds for waist circumference are set out in the NICE obesity clinical guidelines. The QRISK® 2 calculation will default to population averages where information is not added, so it will estimate BMI based on the age and gender entered into it.

Related stages of the check: BMI is required for the CVD risk calculation. It is also required for the validated diabetes risk assessment tool to identify individuals at risk of type 2 diabetes.

Note: if the Service User cannot have their height and or weight measured, the Service User's estimate of their own height and weight can be used as approximations but these are prone to error. Arm span can also be used as an approximation for height.

Managing weight in individuals who are overweight or obese is complex. Where an individual's weight status and/or their waist circumference is a key risk factor, advice or onward referral should be provided in line with the NICE clinical guidelines CG189 Obesity: identification, assessment and management. Where the individual's weight status is not a risk factor, it is still an opportunity to reinforce the benefits of healthy eating and being physically active.

You may find it helpful to follow the steps outlined in Public Health England's 'Let's Talk About Weight – a step by step guide to brief interventions with adults for health and care professionals'.

Individuals can be directed to information on the importance of a balanced diet, shown in the Eatwell Guide (The Eatwell Guide Department of Health Feb 2017 <https://www.gov.uk/government/publications/the-eatwell-guide>)

- eat at least 5 portions of a variety of fruit and vegetables every day
- base meals on potatoes, bread, rice, pasta or other starchy carbohydrates; choosing wholegrain versions where possible
- have some dairy or dairy alternatives (such as soya drinks); choosing lower-fat and lower-sugar options
- eat some beans, pulses, fish, eggs, meat and other proteins (including 2

portions of fish every week, one of which should be oily)

- choose unsaturated oils and spreads and eat in small amounts
- drink 6-8 cups/glasses of fluid a day
- if consuming foods and drinks high fat, salt, or sugar have these less often and in small amounts

In addition, the individual's alcohol intake could be considered as part of any discussion about energy intake, and the opportunity used to highlight links between alcohol intake and obesity with liver disease.

- **CHOLESTEROL LEVEL - Total cholesterol/HDL Ratio**

Providers must undertake the NHS Health Check utilising Point of Care Testing (POCT). Further information on this is below.

Data required: cholesterol must be measured as the ratio of total serum cholesterol to high density lipoprotein cholesterol.

Key points: - a random cholesterol test should be used for this assessment. A fasting sample is not required.

- cholesterol is a major modifiable risk factor of vascular disease, and can be reduced by dietary change and physical activity, but medicines may also be required depending on the degree of elevated risk.

New advice – where a Service User's cholesterol level is found to be above 7.5mmol/l and/or personal/family history refer to GP for consideration of familial hypercholesterolaemia

POINT OF CARE TESTING (POCT) for cholesterol

Point of Care Testing (POCT) or Near Patient Testing (NPT)

Where Point of Care Testing is utilised Providers must ensure that they comply with the specific guidance on POCT set out in the NHS Health Check Programme Standards (2016). The use of point of care testing machines (POCT) is recommended as best practice for the Gateshead NHS Health Checks Programme and should be used where appropriate quality assurance mechanisms are in place.

The Provider should offer all Service Users sufficient time to conduct the full risk assessment, communicate the results in a way the Service User understands and offer ongoing referral to relevant lifestyle support services. National guidance indicates that the full NHS Health Check takes around 20-30 minutes to complete.

Point of Care Testing may be utilised by the Provider when delivering the NHS Health Check to allow the clinician to deliver the full results of the check immediately, without the requirement for bloods to be sent away for testing and a further contact with the Service User to deliver the results.

POCT, also known as near patient testing, has several advantages:

- Immediate test results – no repeat appointments needed
- The Service User receives instant feedback on their health status, brief intervention and support which has been found to increase Service User

understanding and compliance with recommendations

- Increased uptake of NHS Health Checks
- Enhanced care – address individual risk factors, immediate care for high risk Service Users
- Positive Service User experience

The Providers are required to purchase and maintain their POCT equipment for NHS Health Checks. Those Providers with an existing LDX machine can retain the equipment for NHS Health Checks but are required to undertake the maintenance of the equipment. It is the Provider's responsibility to provide all necessary equipment and facilities required to conduct a Health Check. This includes a private area for assessment, height and weight measuring devices, blood pressure monitors, point of care testing equipment, consumables (including suitable storage and disposal facilities e.g. refrigerator and sharps bins)

The Cholestech LDX is the preferred system for cholesterol testing across Gateshead as it is recognised as one of the most accurate on the market. The unit is certified for Total Cholesterol and HDL-Cholesterol by the CDC's Cholesterol Reference Method Laboratory Network, confirming that the accuracy and reproducibility of the POCT lipid profile method is comparable to centralised laboratory testing, regardless of the blood testing method. There are other systems available on the market.

The Provider must undertake appropriate mandatory training and annual update training (see Schedule 1). The Provider must ensure compliance with quality control testing as these are crucial to ensure that health care professionals can be confident that the POCT equipment continues to deliver lab- accurate results. The Provider must identify a lead contact for POCT and QA.

The Provider will require the following equipment:

Cardiovascular Equipment

- Cholestech LDX Cholesterol Analyser (or equivalent) including: analyser, power supply, optics check cassette, user manual, training video
- External Accredited Quality Assurance Scheme such as Bolton Quality Assurance Scheme
- TC/HDL Cholesterol Cassettes
- Heparinised glass tubes and plungers 40ul
- Unistik 3 Lancets
- Swabs, disposable gloves, plasters
- AA Approved BP Unit, UA 767
- Large Blood Pressure Cuff
- Seca 761 analogue scales
- Height Meter
- Tape measure (for waist measurement)

Further details on recommended POCT machines are available in the NHS Purchasing and Supply Agency Buyer's Guides for POCT for Cholesterol (2009)

- The Provider is responsible for the safe disposal of all medical waste,

sharps and other refuse generated by the service in accordance with the relevant Health and Safety Regulations.

- It is the Provider's responsibility to make arrangements for ordering consumables.
- The Provider is expected to adhere to Medicines and Healthcare Regulatory Agency (MHRA) advice on selection of appropriate equipment, training in its use and ongoing management, troubleshooting, and quality assurance processes that ensure the accuracy and ability to reproduce results.
- The Provider will report any adverse incidents involving medical equipment to the relevant manufacturer as well as the Medicines and Healthcare products Regulatory Agency (MHRA), follow the ESCC Incident Reporting Policy and process, and manage in accordance with providers' governance arrangements and council requirements.
- An adverse incident is an event that causes, or has the potential to cause, unexpected or unwanted effects involving the accuracy and/or safety of device users (including Service Users) or other persons.
- Providers will ensure that an appropriate internal quality control (IQC) process is in place. Providers should note that NHS Programme Standards indicate that an appropriate internal quality control (IQC) process for POCT should be delivered in accordance with the MHRA guidelines on POCT, 'Management and use of IVD point of care test (POCT) devices. Device bulletin 2010 (02) February 2010'. This should take the form of at least a daily "go/no go" control sample (use of a liquid sample) on days when the instrument is in use. This may require other procedures e.g. optical check to be performed in addition to the use of a liquid control sample.

QUALITY ASSURANCE (QA) SCHEME FOR POCT

It is essential that Providers are registered with an accredited Quality Assurance scheme (such as Bolton Quality Assurance Scheme / BQAS). It is the Provider's responsibility to make arrangements for an accredited quality assurance scheme. .

Providers are required to sign-up to and participate in an External Quality Assessment (EQA) scheme such as BQAS. All equipment should be fully functional, accurate and regularly calibrated. POCT equipment should be checked internally either daily, or on those days it is being utilised. It is the Provider's responsibility to do this.

Your local hospital laboratory or other accredited provider can be consulted for advice regarding appropriate quality control process for POCT. In addition local healthcare scientists can offer support to services wishing to set up POCT services (NHSUK National Programme Standards section 5 update).

The monthly Quality Assurance scheme ensures that the cholesterol analysers and the Providers are delivering accurate assessments at all times. Usually for each POCT machine, a monthly sample from the pathology laboratory at the Hospital will be sent to the Provider's named lead. On alternative months a sample will be sent with the expected values provided. During the intervening months, a blind sample will

be sent and the site will send their results on email to the lab. Providers will get an immediate response as to whether they have passed or failed. The Providers will know almost instantaneously how their system is performing. **Providers must make arrangements to share the monthly QA results with the Council.**

Documentation relating to the quality assurance processes utilised by the Provider should be made available to the Council on request. Failure to comply with the required QA processes will result in suspension of this Contract, until sufficient evidence of compliance is provided. Participation in the BQAS scheme provides reassurance that Service User results are reliable and accurate. It is important that the Provider submits results for each machine / site on a monthly basis as this not only guarantees the accuracy of the analyser, but also tests the operator to ensure they are carrying out the correct protocol.

For additional information see:

- *NHS Health Check programme standards: a framework for quality improvement*. Public Health England. February, 2014.
- NHS Purchasing and Supply Agency (2009) Buyers' Guide Point-of-care testing for cholesterol measurement

http://www.healthcheck.nhs.uk/Library/pointofcare_testing_for_cholesterol_measurement.pdf

- NHS Improvement (2009) Delivering the NHS Health Check: A Practical Guide to Implementation—A Practical Guide to Point of Care Testing www.improvement.nhs.uk

- **BLOOD PRESSURE MEASUREMENT**

Both systolic (SBP) and diastolic blood pressure (DBP) are required for the diabetes risk score and for assessment for chronic kidney disease and hypertension within primary care.

- **Irregular Pulse**

As set out in NICE clinical guideline 127 (2011) practitioners should perform a pulse rhythm check prior to taking blood pressure to detect any pulse irregularities that could affect the reading from an automated device. Service Users who are found to have an irregular pulse rhythm should be referred to the GP for further investigation.

Key points: checking the pulse rhythm

NICE Hypertension clinical guideline 127 (2011) recommends that practitioners should perform a pulse rhythm check prior to taking blood pressure to detect any pulse irregularities. Irregularities can lead to inaccurate blood pressure readings when an automated device is used. Individuals who are found to have an irregular pulse rhythm should be referred to the GP for further investigation of atrial fibrillation.

If the Service User has a blood pressure at, or above, 140/90mmHg, or where the SBP or DBP exceeds 140mmHg or 90mmHg respectively, the Service User requires:

- **An assessment for hypertension**

Where a diagnosis of hypertension is confirmed by a clinician, the individual should

be added to the hypertension register and treated in line with NICE guidelines. Once diagnosed with hypertension, individuals should not be recalled as part of the NHS Health Check programme.

When blood pressure is found to be high, discussions about possible hypertension diagnosis and management may raise questions about the relationship between lifestyle and blood pressure management. Such discussion will normally take place as part of the further hypertension assessment or once a patient is placed on the hypertension register. It will however be useful for practitioners to be aware of the lifestyle interventions recommended in the NICE guideline on hypertension:

- ask people about their diet and exercise patterns, and offer guidance and written or audio-visual materials to promote lifestyle changes
- ask people about their alcohol consumption and encourage them to cut down if they drink excessively
- discourage excessive consumption of coffee and other caffeine-rich products
- encourage people to keep their salt intake low or substitute sodium salt
- offer advice to people who smoke and help to stop smoking
- tell people about local initiatives (for example, run by healthcare teams or patient organisations) that provide support and promote lifestyle change
- do not offer calcium, magnesium or potassium supplements as a method of reducing blood pressure
- relaxation therapies can reduce blood pressure and people may wish to try them. However, it is not recommended that primary care teams provide them routinely

○ **An assessment for CKD**

the results of a serum creatinine test should be used to calculate the estimated glomerular filtration rate (eGFR) in order to assess the level of kidney function, and recorded on the individual's patient record.

Threshold: $eGFR < 60 \text{ ml/min/1.73m}^2$ or $\geq 60 \text{ ml/min/1.73m}^2$.

Where eGFR is **above or equal to $60 \text{ ml/min/1.73m}^2$** , no further assessment is required, unless the individual is diagnosed with hypertension or diabetes mellitus. In this case, their risk of kidney disease will be monitored as part of the management of their hypertension and/or diabetes.

Where eGFR is **below $60 \text{ ml/min/1.73m}^2$** , further assessment for CKD is required in line with NICE clinical guideline 182 on CKD. In people with a new finding of reduced eGFR, the eGFR should be repeated within two weeks to confirm that it is abnormal. This is the responsibility of the GP or primary care nurse.

Key points: a venous blood sample is required for this test. NPT is not considered appropriate. A serum creatinine test should be requested from the laboratory. This can be requested at the same time as a cholesterol test from the laboratory (if NPT is not used to assess cholesterol).

- **PHYSICAL ACTIVITY LEVEL** - inactive, moderately inactive, moderately active or active

For the Physical activity assessment, a validated tool is recommended, such as DH's General Practitioner Physical Activity Questionnaire (GPPAQ) to measure the activity levels of individuals.

GPPAQ has been tested and validated for self-completion. It provides a measure of an individual's physical activity levels, which have been shown to correlate with cardiovascular risk, classifying people as inactive, moderately inactive, moderately active, and active.

NICE guidance on physical activity interventions recommends that primary care practitioners should take the opportunity, whenever possible, to identify inactive adults. The UK Chief Medical Officer recommended that all adults should be physically active daily. Over a week, activity should add up to at least 150 minutes. For further information please see:

<https://www.nice.org.uk/guidance/qs84>

Thresholds: a brief intervention on physical activity can help support Service Users to become and remain active and will be appropriate for the majority of people who fall into all GPPAQ classifications other than active.

A brief intervention on physical activity can help support people to become and remain active and will be appropriate for the majority of people who fall into all GPPAQ classifications other than active. Individuals who are identified as inactive could be considered for exercise referral where local services exist.

Key points: If patients are not achieving recommended physical activity levels, practitioners should:

- offer to provide information on the recommended physical activity levels
- discuss, taking into account the individual's circumstance, preferences and health status, what the individual might do to become more active and agree goals
- provide written information about the various types of activities and the local opportunities to be active
- for those who are sedentary or inactive with a health condition or risk factors, refer them to an exercise referral programme
- follow up at appropriate intervals over a 3 to 6 month period

Further guidance is included in Section 4 of Best Practice Guidance.

- **ALCOHOL USE ASSESSMENT** – using alcohol use disorders identification test (AUDIT) score.
- Here is a link to the Audit-C questions [AUDIT - C](#)

Initial assessment threshold: (AUDIT-C >5) If the individual scores five or more using AUDIT-C, the second phase should be undertaken.

Full AUDIT: if the Service User scores above the initial assessment threshold then the second phase is to complete the remaining questions of the full AUDIT. It is this full AUDIT score that can identify the risk level of the Service User.

AUDIT threshold: > 8. If the total AUDIT score from the full ten questions is eight or more, this indicates the individual's consumption of alcohol might be placing their health at increasing or higher risk of harm. The AUDIT score should be recorded and fed back to both the individual and, where the risk assessment is carried out outside the Service User's GP practice, to the Service User's GP.

Related stages of the check: although this is not a mandated requirement, if the Service User meets or exceeds the AUDIT threshold of eight, they should be given brief alcohol advice to reduce their health risk and to help reduce alcohol related harm. A referral to alcohol services should be considered for those Service Users scoring 20 or more on AUDIT.

- New UK alcohol guidelines were published in January 2016 which recommend a lower threshold of alcohol units for men. The guidelines now state that both men and women should not regularly exceed 14 units per week to keep their risk of alcohol-related harm low. As a result, PHE reviewed the recommended screening tools (AUDIT-C, FAST and full AUDIT) and concluded that no changes are needed to these tools.
- Further Alcohol resources can be found here:
<http://www.alcohollearningcentre.org.uk/>

Advice to reduce alcohol use is an essential part of helping people manage the risk alcohol poses to their health and the risk of developing disease in the future. Evidence suggests this advice is most effective when delivered immediately or as soon as possible after the AUDIT assessment – the ‘teachable moment’. This advice just takes a couple of minutes and consists of:

- **understanding alcohol units** – ensuring the individual understands how much they are drinking
- **understanding risk levels** – explaining the lower-risk guidance and how the health risk rises above this level
- **informing them of their level of risk** – informing the individual of their AUDIT score (a mandatory requirement), what risk level this indicates and where their risk level compares to the rest of the population
- **benefits of cutting down** – explain some of the benefits that could come from reducing their alcohol consumption.
- **tips for cutting down** – providing the individual with a menu of things they could try to cut back on their alcohol consumption

This brief advice could be supported by an information leaflet or booklet given to the individual to reinforce the brief advice given and for future use.

Providing information and brief advice on lower-risk drinking is also recommended as part of the guidance on lifestyle interventions within the NICE clinical guideline on hypertension and NICE public health guidance on preventing harmful drinking.

- **DIABETES RISK ASSESSMENT**
NEW for 2018/19 Best Practice guidance now recommends using a Diabetes Risk Score. This is instead of the diabetes filter, but it still identifies who will require a HbA1c test.

Gateshead is using the Diabetes UK Risk Score (Leicester risk assessment score)

Data required: The data required:- age, gender, ethnicity, family history of diabetes, BMI, diagnosis of hypertension, waist circumference, Individuals should be considered as being at higher risk of type 2 diabetes using the following thresholds for the validated risk assessment tool:

- Diabetes Risk Score / Leicester risk assessment score is greater than or equal to 16

In addition to individuals meeting the high-risk filter criteria, it is important to consider the situation of the individual, because some people who do not fall into the filter categories will still be at significant risk. This includes:

- people with first-degree relatives with type 2 diabetes or heart disease
- people with tissue damage known to be associated with diabetes, such as retinopathy, kidney disease or neuropathy
- women with past gestational diabetes
- those with conditions or illnesses known to be associated with diabetes (eg polycystic ovarian syndrome or severe mental health disorders)
- those on current medication known to be associated with diabetes (eg oral corticosteroids)

Key points: The assessment of diabetes risk should be undertaken in 2 stages. The first step should be to use a validated risk tool) to identify people at risk.

The second step involves performing a blood test to confirm whether an individual has or is at risk of type 2 diabetes.

As with the other tests in the check, it is important that those people who do not go on for further testing understand that everyone has some level of risk. They should also be made aware of the risk factors for diabetes as part of the general lifestyle advice that should be offered to everyone having a check regardless of their risk.

The Provider is required to refer to the GP for a HbA1c test

Related stages of the check

- Individuals who are identified as being at high risk of type 2 diabetes should receive a HbA1c test,

This is to identify people at high risk of developing, or living with undiagnosed diabetes, and to undertake the necessary HbA1c test. Only those identified as at higher risk should have a HbA1c test as part of their NHS Health Check risk assessment; it is not considered clinically effective or cost effective to test everyone.

NDPP Healthier You: NHS Diabetes Prevention Programme

If the individual's fasting plasma glucose (5.5 – 6.9 mmol/l) or HbA1c (42 – 47 mmol/mol or 6% – 6.4%) indicates non-diabetic hyperglycaemia, there is very robust evidence that intensive lifestyle interventions in these individuals substantially reduces the risk of developing Type 2 diabetes.

As it rolls out, the new Healthier You: NHS Diabetes Prevention Programme will offer an intensive intervention that supports people to lose weight, to increase physical activity and to eat more healthily. The long-term intervention allows individuals to set and achieve goals and make positive changes to their lifestyle. This programme will be rolled out in Gateshead in 2018/19.

• DEMENTIA

Up to 30% of dementia is attributable to risk factors including physical activity, healthy diet, reduced alcohol intake, and smoking. Therefore, everyone who has an NHS Health Check should be made aware that the risk factors for cardiovascular disease are the same as those for dementia. This can be as simple as letting individuals know

that what is good for the heart is good for the brain. E-learning materials which provide support on talking about dementia are available to practitioners. In addition to letting people know that the risk factors are the same, everyone aged 40-74 who has an NHS Health Check should be made aware of dementia risk reduction messaging, the signs and symptoms of dementia and be signposted to memory services if this is appropriate. The dementia component of the NHS Health Check does not require any formal assessment or memory testing. The purpose of the intervention is to raise awareness of:

- how people can reduce their risk of getting dementia and slow its progression
- the availability of memory services that offer further advice and assistance to people who may be experiencing signs and symptoms of dementia

An NHS Health Check Dementia leaflet is available to order/download, and also training materials for those carrying out the check have been produced to support this (see below).

Resources on Dementia Risk Reduction

- The findings from the pilot project have been summarised by Alzheimer's Society and Alzheimer's Research UK and published [here](#).
- [A 'Top Tips' paper for NHS Health Check providers, practitioners and commissioners on talking about Dementia in the NHS Health Check](#) from age 40-64 years is available on the NHS Health check website.
- The NHS Health Check Dementia leaflet can be found [here](#). It is available in a number of different languages to order and to download
- The revised [NHS Health Check 30 minute e-learning for practitioners](#) to introduce the dementia risk reduction component, updated January 2018
- A page providing links to [Training tools and resources](#)

These include:

- 3 Videos-1) Dementia and the NHS Health Check; 2) Delivering the dementia component; 3) A walk through the dementia leaflet
- A slide set on 'Helping your brain to stay healthy'
- NHS Health Check Dementia Component-Prompt sheet for Health Care Practitioners
- References and statistics to support the dementia NHS Health Check slide deck
- How to use the NHS Health Check dementia leaflet in your appointments

There is also a [video with Angela Rippon](#) which highlights ways to reduce the risk of developing dementia. We are currently in the process of updating the 30 minute dementia online training resource for health professionals.

Dementia message risk reduction / consultation In October 2017, a consultation was undertaken on ESCAPs recommendation to include dementia risk reduction messaging as a mandatory part of every NHS Health Check. The outcome of the consultation is that Dementia risk reduction messaging to be included in the NHS Health Check, for everyone eligible aged 40-74. Further guidance from PHE is expected at the end on April 2018.

CARDIOVASCULAR RISK SCORE USING QRISK2

New guidance on QRisk2 - **QRisk2**

During an NHS Health Check, QRISK® 2 should be used to calculate an individual's 10-year risk of developing cardiovascular disease.¹³ Risk calculators and clinical decision algorithms such as QRISK®2 that meet the definition of a medical device are required to be CE marked as a medical device in line with the medical device directives.

¹³ NICE (2014) Lipid modification: cardiovascular risk assessment and the modification of blood lipids for the primary and secondary prevention of cardiovascular disease www.nice.org.uk/Guidance/CG181

Key Points: As QRISK® 2 is considered a medical device, its developer (ClinRisk Ltd) must state its intended purpose and give clear instructions for its use. Additionally, system providers eg EMIS, or other specialist third party suppliers of NHS Health Check solution software which integrates QRISK® 2 tool, must use this information and perform due diligence checks to ensure that it is functioning appropriately.

This means that if a locally customised General Practice clinical system template, which:

- has not been licenced from ClinRisk Ltd (who develop and maintain QRISK®2); or
- has gone through the Medicines and Healthcare Products Regulatory Agency (MHRA) medical device process is being used, there is a high risk that it does not use the correct clinical codes necessary to ensure that the device functions accurately. If NHS Health Check commissioners or providers have produced and are using locally modified clinical templates, then it is advised to:
 - o Undertake assurance checks to determine whether the output from any such customisation, is in line with the developers intended purposes and their instructions for use, and any output generated as a result of using a customised template has been clinically assured and validated. Until this assurance has been obtained, the templates should be removed from use and all users informed until the relevant assurances are in place
- if any templates have been used which are not compliant with the assurance requirement(s) ie give results which cannot be validated with national standards (SCCI0129 and SCCI0160); a clinical safety investigation should be undertaken
- adverse incidents identified involving QRISK® 2 or any software medical devices should be reported via the MHRA yellow card system: www.mhra.gov.uk/yellowcard and to NHS England

Additional Guidance

- Medical device stand - alone software applications (including IVDMDs). Medicines and Healthcare Products Regulatory Agency.
- QRISK®2-2017 risk calculator ClinRisk
- Clinical Risk Management: its Application in the Manufacture of Health IT Systems. (SCCI0129) NHS Digital
- Clinical Risk Management: its Application in the Deployment and Use of Health IT Systems (SCCI0160) NHS Digital

The Service User's risk is then calculated, using QRisk2, with the results communicated by the Provider to the Service User in a way that the Service User understands. NB only QRisk2 should be used; any other risk assessments will not qualify as a NHS Health Check and will not attract a payment. In the lifestyle risk management part of the NHS Health Check, the risk score is communicated to the Service User. The results will be discussed and lifestyle advice and support offered. This will be tailored to the Service User's results and may involve a brief intervention.

- All Service Users having a NHS Health Check are to receive healthy lifestyle advice on how to maintain/improve their vascular health and reduce their risk of developing CVD.
- All Service Users will receive a copy of their results in a suitable language and format, using the results sheet on PharmOutcomes.
- The Provider will actively involve the Service User in agreeing what advice and/or interventions are to be pursued and encouraged/supported to develop a behaviour change action plan (goal setting)
- Any decisions made or tests/measurements undertaken by the Provider must be in partnership with the Service User and with the Service User's informed consent, and recorded on the PharmOutcomes system.

Cardiovascular disease (CVD) risk should be communicated using everyday, jargon-free language. Service Users should be offered information about their absolute risk of CVD and about the absolute benefits and harms of an intervention over a ten-year period. NICE guidance advises that:

- the decision whether to start statin therapy should be made after an informed discussion between the GP or nurse and the Service User about the risks and benefits of statin treatment, taking into account additional factors such as potential benefits from lifestyle modifications, informed patient preference, comorbidities, polypharmacy, general frailty and life expectancy

CARDIOVASCULAR RISK SCORE BELOW 10%

- Service Users identified as being at less than 10 percent risk of developing CVD should to be recalled after five years yet may also need lifestyle interventions to maintain or improve their vascular health (e.g. referral to a stop smoking service, advice regarding weight management or physical activity interventions)

CARDIOVASCULAR RISK SCORE OVER 10%

- Service Users with a 10% or greater ten-year risk of developing CVD should be offered appropriate lifestyle advice and behaviour change support in relation to increasing physical activity, smoking cessation, safe alcohol consumption and healthy diet
- Service Users with high CVD risk should be advised that the potential benefits from lifestyle modifications will also reduce their risk of dementia
- Where lifestyle modification has been ineffective or is inappropriate,

Service Users with a 10% or greater ten-year risk of developing CVD should be offered statin therapy for the primary prevention of CVD

- NICE guidance advises that: the decision whether to start statin therapy should be made after an informed discussion between the GP or nurse and the individual about the risks and benefits of statin treatment, taking into account additional factors such as potential benefits from lifestyle modifications, informed patient preference, comorbidities, polypharmacy, general frailty and life expectancy
- If a Service User agrees to statins, they will be considered as being managed and will not be eligible for further NHS Health Checks. If the Service User refuses statins, they will be eligible for a NHS Health Check in five years

Key point: Service Users that are either prescribed a statin or have a CVD risk score $\geq 20\%$ should exit on to an at risk register

Referrals may be made for stopping smoking, weight management, alcohol use, memory problems, physical activity interventions and pre-diabetes.

Referral is to be made by the Provider as appropriate to GP, Lifestyle services or other appropriate services

All results, advice, referrals and interventions are to be recorded on the primary care record.

RESULTS AND RISK MANAGEMENT

- Results should be communicated verbally and using the standardised results letter, which includes a section to record goal setting information. This is for all NHC's (POCT and Non-POCT). NEW REQUIREMENT for 2018/19 to use the Gateshead standardised results letter. The results letter is on the clinical system in the shared folder.
- The Provider should offer all Service Users sufficient time to conduct the full risk assessment, communicate the results in a way the Service User understands and offer ongoing referral to relevant lifestyle support services. National guidance indicates that the full NHS Health Check takes around 20-30 minutes to complete.
- The presence of other conditions that increase CVD risk are also to be recorded during the consultation i.e. rheumatoid arthritis, premature menopause, (before the age of 45) erectile dysfunction.

Everyone who has an NHS Health Check, regardless of their risk score, should be given clinically appropriate lifestyle advice, to help them manage and reduce their risk. So, unless it is deemed clinically unsafe to do so, everyone having the check should be provided with individually tailored advice that will help motivate them and support the necessary lifestyle changes to help them manage their risk. This approach echoes the competencies set out in Making Every Contact Count (MECC). MECC enables the opportunistic delivery of consistent and concise healthy lifestyle information to individuals at scale.

The assumption is that delivering health messages should encourage people to cease or adopt certain behaviours, which in turn is likely to result in health improvement. In the context of cardiovascular disease prevention, behaviour change

services are often linked to modifiable cardiovascular disease risk factors that can be managed by changes to an individual's lifestyle. Individual-level behaviour change interventions can be delivered through different methods, including:

- brief advice
- brief interventions
- motivational interviewing

The approaches are not mutually exclusive, brief interventions may contain brief advice and may use a motivational interviewing approach.

Depending on the delivery model in place, this advice and the completion of the risk assessment may be completed by different professionals. So, it is important that information such as smoking status, blood pressure, levels of physical activity and history of vascular disease in the family is transferred in written form between individuals and within the delivery team as necessary. This will help ensure continuity of care and a positive experience for the individual having the check. This is especially important for the quality of NHSHC's using Non-POCT.

For further information on Risk management and Lifestyle interventions please see Chapter 4 of the NHS Health Check Best Practice Guidance. For further information on Risk management and secondary prevention please see Chapter 5 of the NHS Health Check Best Practice Guidance.

3.3 Population covered

ELIGIBLE POPULATION

The Provider is to deliver the Service of NHS Health Checks to all potential Service Users registered with a GP, and living or working in Gateshead between the ages of 40-74 without known CVD.

3.4 Any acceptance and exclusion criteria

As the programme is a public health programme aimed at preventing disease, people with previously diagnosed vascular disease or meeting the criteria below are excluded from the programme. Potential Service Users should already be being managed and monitored through existing care pathways.

Exclusion criteria:

- coronary heart disease
- chronic kidney disease (CKD) which has been classified as stage 3, 4 or 5 within the meaning of the National Institute for Health and Care Excellence (NICE) clinical guideline 182 on Chronic Kidney Disease
- diabetes
- hypertension
- atrial fibrillation
- transient ischaemic attack
- hypercholesterolemia
- heart failure
- peripheral arterial disease

- stroke
- prescribed statins
- people who have previously had a NHS Health Check, or any other check undertaken through the health service in England, and found to have a 20% or higher risk of developing cardiovascular disease over the next ten years

NOTE: Where someone has a CVD risk of 10-19%, they would not be excluded from recall unless they meet one of the other exclusion criteria, e.g., being prescribed a statin.

ELIGIBLE POPULATION

- Males and females aged 40 to 74 years
- People registered with a GP, and living or working in Gateshead. If not registered with a GP but live in the Gateshead area the Provider should advise Service Users on how to register with a local GP.
- People must not:
 - have had a NHS Health check in the last 5 years
 - be currently prescribed any vascular disease treatment, including the management of hypertension and high cholesterol be diagnosed with diabetes, heart disease, stroke or kidney diseases
- Providers must ensure they require Service Users to give signed consent to entering into the NHS Health Checks programme. Consent is required:
 - to inform the Service User's GP of the test results
 - to allow the Provider or the Council to contact the Service User and the Service User's GP for follow up purposes and to discuss the Service User's experiences and outcomes
 - to provide Service User anonymised data to the Council for the purposes of Contract monitoring, publication and research.
- The Provider must produce and maintain an up-to-date list of all Service Users who they have worked with under this Contract.

3.5 Interdependencies with other services

GP Practices - Data collection for all NHS Health Checks is collected via the GP practice system EMIS. This relies on Service User reports being sent to the practice by the provider and uploaded on to the EMIS system by the GP Practice.

Data from the Provider is to be entered into the PharmOutcomes system using the appropriate module in the system.

GP Practices will receive the results of NHS Health Checks carried out by the Provider. The Provider must ensure that the results of NHS Health Checks are sent to the Service User's GP Practice within 48hours as detailed in section 3.6.

For individuals eligible for a NHS Health Check but do not wish to have the appointment in the Pharmacy, the Provider should signpost to another NHS Health Check Provider in Primary Care.

The Community Incentive programme aims to get community organisations to use their networks to invite people, who are eligible to become Service Users, arrange local Health Check sessions and provide support on the day itself. The NHS Health Checks are carried out in community venues using trained pharmacy staff.

The Health & Wellbeing Intervention Lead (Public Health, Gateshead Council) provides support to Providers on all aspects of NHSHC delivery (Training, Mentoring, Quality Assurance). For further information, please contact Gemma King on Tel: 0191 433 3058 or gemmaking@gateshead.gov.uk

3.6 Activity planning assumptions

The Provider must reach 120 NHS Health Checks per year, this equates to a minimum of 10 per month

The Provider is to ensure that it delivers the following when providing the Services:-

- A standardised approach to delivering NHS Health Checks.
- The Provider will be responsible for ensuring that all Staff who undertake NHS Health Checks are fully trained and able to demonstrate and maintain the required competencies. For guidance on competencies the Provider is referred to the NHS Health Check Competency Framework (March 2015) The Providers will also ensure that staff maintain competencies and record evidence of competencies.
- All Staff involved in delivering NHS Health Checks must have read and understood the Contract Specification for NHS Health Checks and National Best Practice Guidance http://www.healthcheck.nhs.uk/national_guidance/
- To ensure that the health check takes place in a consistent, accurate and safe manner.
- Record all elements of the risk assessment and risk management of NHS Health Checks completed.
- Transfer of data to General Practice within 48hrs via email or post

The Provider must transfer Service User identifiable data to the general practice in a secure and safe way in line with Council policy in order that responsibility for the Service User remains with the GP. It is expected that the Provider will adhere to information governance in the delivery of such information by gaining consent from the Service User and ensuring Service User data is sent by first class post within 48 hours. This report should be the standard format from PharmOutcomes which includes the NHS Health Check header. The letter contents must include coding information and full assessment results.

- All Service Users identified as being higher risk must receive a follow up from the Provider via telephone after 4 weeks to determine whether or not they have made an appointment to see their GP.
- Any Service User identified as a smoker will be offered referral to the pharmacy stop smoking service by the Provider.
- The Provider must maintain up to date information about where Service Users are to be signposted to.
- The report sent to the GP by the Provider must highlight where the Service User has been signposted.
- All appropriate recordings and interventions must be accurately recorded on the software by the provider and reported to the service users GP.
- The results of each test/measurement must be explained to the Service User by the Provider and appropriate referral and advice given, and shared with the GP where relevant
- The Provider must utilise a professional and Service User centred

approach to maximise the likelihood of a positive and motivational experience for the Service User.

- The Service must be provided within the locality of Gateshead within the opening hours of the Provider. The Service must be delivered from facilities and settings which are suitable for the purpose and support the confidentiality and dignity of the Service User.
- The Provider as a pharmacy is eligible to offer NHS Health Checks and be involved in the community outreach work (Community Incentive Programme) across Gateshead in various community settings. The Health & Wellbeing Intervention Lead (Gemma King Tel: 0191 433 3058 or gemma.king@gateshead.gov.uk) must be informed of any planned outreach work.
- NHS Health Checks must be conducted in a venue that offers a private and comfortable environment. Where individual rooms cannot be used then a private space is required such as a portable cubicle or the use of a screened off area. It must allow for the Service User's privacy and dignity to be respected. All community venues used to carry out NHS Health Checks must be appropriate venues for privacy and safety requirements. Venue checks are carried out for all venues involved in the NHS Health Check Community Incentive Scheme.
- The Provider shall work with the Council to review progress and identify any further training needs.
- Ensure that there are suitable contingency plans in place to cover leave (both anticipated and unanticipated) of any Staff leaving the Provider.
- Notify the Council immediately if the Service is not available due to workforce issues.
- Participate in any Gateshead Council organised audit of service provision or health equity audit on access to and take-up of health checks. Co-operate with any national or Gateshead Council led assessment of Service User experience.
- The Department of Health has set minimum levels for the number of people invited and having a check. These are 20% and 10% respectively of the eligible population. Local results are reported to the national team on a quarterly basis. Results can be accessed via the NHS Health Check website www.healthcheck.nhs.uk and there is a [NHS Health Check national interactive data map](#)

4. Applicable Service Standards

4.1 Applicable national standards

Best Practice Guidance

National NHS Health Check Best Practice Guidance (Dec 2017)
https://www.healthcheck.nhs.uk/commissioners_and_providers/guidance/national_guidance1/

Revised NHS Health Check information governance data flows (October 2016)
http://www.healthcheck.nhs.uk/latest_news/revised_nhs_health_check_information_g

[overnance data flows/](#)

Mandated data requirements are covered in Appendix K

National [NHS Health Check programme standards](#) - Feb 2014

Information on the national NHS Health Check Competence Framework can be found here:

http://www.healthcheck.nhs.uk/commissioners_and_providers/training/competence_framework_supporting_workbooks/

NHS Health Check Programme Pathway Diagram can be found here:

http://www.healthcheck.nhs.uk/commissioners_and_providers/delivery/

NICE Guidelines

[Lipid modification](#) - July 2014

NHS Health Check Briefing (LGB15)

<https://www.nice.org.uk/advice/lgb15/chapter/Introduction> Feb 2014

Type 2 Diabetes: prevention in people at high risk (PH38)

<https://www.nice.org.uk/guidance/ph38> July 2012

Hypertension in adults (CG127) <https://www.nice.org.uk/guidance/cg127> August 2011

Cardiovascular disease prevention (PH25)

<https://www.nice.org.uk/guidance/ph25> June 2010

Alcohol-use disorders: Prevention (PH24) <https://www.nice.org.uk/guidance/ph24>

June 2010

Chronic Kidney Disease (CG182) Jan 2015 <https://www.nice.org.uk/guidance/CG182>

Obesity (CG189) November 2014 <https://www.nice.org.uk/guidance/cg189>

Smoking: brief interventions and referrals (PH1) March 2006

<https://www.nice.org.uk/guidance/ph1>

Other relevant publications:

Living Well for longer: progress 1 year on (March 2015)

<https://www.gov.uk/government/publications/living-well-for-longer-progress-1-year-on>

UPDATED The Handbook for Vascular Risk Assessment, Risk Reduction and Risk Management 2012

http://www.healthcheck.nhs.uk/latest_news/the_handbook_for_vascular_risk_assessment_risk_reduction_and_risk_management/# This updated version of the handbook should be used in conjunction with the original [Handbook for Vascular Risk Assessment, Risk Reduction and Risk Management, 2008 \(PDF 6.4MB\)](#)

NICE Guidance for Prevention of Type 2 Diabetes - July 2012

Cardiovascular Disease Outcomes Strategy (2013)

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/217118/9387-2900853-CVD-Outcomes_web1.pdf

Putting prevention first- vascular checks: risk assessment and management - next steps guidance for primary care trusts - November 2008

5. Location of Provider Premises

See Contract Particulars

SCHEDULE 1

CONDITIONS PRECEDENT

1. **General Pharmaceutical Council**

Provide the Council the General Pharmaceutical Council Registration Number for the pharmacy premises along with details of a Pharmacy Superintendent and their GPhC Number.

2. **Insurance**

Provide the Council with a copy of the insurance policies to illustrate that the Required Insurances are in place;

3. **Training & Qualifications**

All providers delivering NHS Health Checks must:

- Identify the Pharmacist/Pharmacy Manager as the person who has overall responsibility for ensuring that the service is delivered in accordance with this specification.
- Be able to demonstrate that the pharmacy staff who wish to participate in the delivery of this service achieve and maintain appropriate clinical competence and that they have undertaken suitable education and training. The competency framework and learner and assessor workbooks can be used to record evidence and can be accessed here http://www.healthcheck.nhs.uk/commissioners_and_providers/training/competence_framework_supporting_workbooks/
- Be familiar with the NHS Health Check Best Practice Guidance (March 2016) http://www.healthcheck.nhs.uk/commissioners_and_providers/guidance/
- [Undertake the mandatory training prior to delivering NHS Health Checks, and undertake an annual update.](#) It is the provider's responsibility to arrange POCT training with their equipment/consumables provider.
- All staff delivering NHS Health Checks must have received training to do so. Please contact Gemma King (gemmaking@gateshead.gov.uk) for further information

The national NHS Health Check team has developed several videos to help train people who carry out NHS Health Checks

http://www.healthcheck.nhs.uk/commissioners_and_providers/training/training_videos1/

On the NHS Health Check Website there are also some e-learning packages

http://www.healthcheck.nhs.uk/commissioners_and_providers/training/elearning_resources1/

Providers should access the Web based NHS Health Check dementia training tool ([dementia awareness training](#)). It is aimed at those individuals providing the NHS Health Check and includes a self-assessment section which will then provide a certificate of completion. The NHS Health Check dementia leaflet has been developed to support the dementia information and should be given

to those aged 65-74 years of age during their appointment. These leaflets are available to order free of charge in a variety of formats and languages through the [Department of Health order line](#)

4. Reporting

All NHS Health Checks must be recorded onto the PharmOutcomes system using the appropriate module in the system. The Provider will report health check activity data on PharmOutcomes according to the Council's requirements on a monthly basis.

The Provider must produce and maintain an up-to-date list of all Service Users who they have worked with under this Contract.

The Provider must transfer Service User identifiable data to the general practice in a secure and safe way in line with Council policy in order that responsibility for the Service User remains with the GP. It is expected that the Provider will adhere to information governance in the delivery of such information by gaining consent from the Service User and ensuring Service User data is sent by first class post within 48 hours. This report should be the standard format from PharmOutcomes which includes the NHS Health Check header. The letter contents must include coding information and full assessment results.

5. Immunisation and equipment

All Staff involved in blood testing will be immunised against the hepatitis B virus.

The Provider will ensure that Staff are given appropriate equipment and appropriate safety clothing.

Hand washing facilities with running hot water in the consultation room or close by. In the absence of a sink then antibacterial hand wipes must be provided and used in line with Council policy.

6. Patient Group Directive

Not applicable

**SCHEDULE 2
PERFORMANCE INDICATORS**

Performance Indicators	Threshold	Method of Measurement	Consequence of breach
The NHS Health Checks Community Pharmacy Programme will be monitored monthly. An indicative target has been set by the Council of a minimum of 120 NHS Health Checks per annum (30 quarterly) by the Provider.	10 per month	Information supplied	Appropriate action under Clause 24 (Default and Suspension)
The Provider will report activity data on PharmOutcomes according to the Council's requirements.	Data reported monthly	Reported to the Council monthly – the Council has access to PharmOutcomes	Appropriate action under Clause 24 (Default and Suspension)
The Provider must ensure transfer of data to General Practice	Every NHS Health Check	Information supplied	Appropriate action under Clause 24 (Default and Suspension)

SCHEDULE 3

PRICING

In consideration of the Provider delivering the Service the Council will pay the Provider the following Price

Element to be Delivered	Amount	Conditions
NHS Health Check	£40 per NHS Health Check completed	Application of the eligibility criteria A completed NHS Health Check comprises invitation/s, full Health Check assessment, communication of risk, lifestyle advice/referral and risk management Evidence of monthly QA check completed NHS Health Checks must be recorded on PharmOutcomes

The Provider shall submit to the Council on a monthly basis via the PharmOutcomes system. The Council shall pay the Provider the Price following verification of the claim form, within 30 days of submission of the claim form.

The Price shall remain as set out in this Schedule during the financial year 2017/2018.

In the event that the Contract is extended in accordance with Clause 2.4 of the Terms and Conditions the Price shall continue at the same rate, unless a variation is agreed with Council.

SCHEDULE 4

DATA SHARING FOR HEALTH CHECKS SERVICE

DEFINITIONS

Agreed Purposes: The performance by each party of its obligations under this Contract and in order to deliver the Service under the provisions of the National Health Service Act 2006 with the Localism Act 2011 providing the incidental powers to share data in order to allow for payment to be made for the provision of the Service.

Controller, data controller, processor, data processor, data subject, personal data, processing and appropriate technical and organisational measures: as set out in the Data Protection Legislation in force at the time.

Data Protection Legislation: (i) the Data Protection Act 1998, until the effective date of its repeal (ii) the General Data Protection Regulation ((EU) 2016/679) (**GDPR**) and any national implementing laws, regulations and secondary legislation, for so long as the GDPR is effective in the UK, and (iii) any successor legislation to the Data Protection Act 1998 and the GDPR, in particular the Data Protection Bill 2017-2019, once it becomes law.

Permitted Recipients: The parties to this agreement, the employees of each party, Service User's GP practice and the PharmOutcomes system.

Shared Personal Data: the personal data to be shared between the parties under clause 1.1 of this agreement. Shared Personal Data shall be confined to the following categories of information relevant to the following categories of data subject:

- a) Unique identifier number of Service User;
- b) Age of Service User;
- c) Postcode district of Service User;
- d) Whether in a lower super output area;
- e) Ethnicity of Service User;
- f) Gender of Service User;
- g) Service User's GP practice;
- h) Where and when the Service took place;
- i) Whether the Service User has received the Service in the last five years;
- j) Medical checklist pass/fail for Service User eligibility;
- k) Medication pass/fail for Service User eligibility; and

- I) BMI range of Service User, pulse palpitation of Service User taken, smoking status recorded, whether alcohol assessment undertaken, family history checked Risk 2 Score of Service User, advice and referral information given to Service User.

1. DATA PROTECTION

- 1.1 **Shared Personal Data.** This clause sets out the framework for the sharing of personal data between the parties as data controllers. Each party acknowledges that one party (the Data Discloser) will regularly disclose to the other party (the Data Recipient) Shared Personal Data collected by the Data Discloser for the Agreed Purposes and shared via the PharmOutcomes system.
- 1.2 **Effect of non-compliance with Data Protection Legislation.** Each party shall comply with all the obligations imposed on a controller under the Data Protection Legislation, and any material breach of the Data Protection Legislation by one party shall, if not remedied within 30 days of written notice from the other party, give grounds to the other party to terminate this agreement with immediate effect.
- 1.3 **Particular obligations relating to data sharing.** Each party shall:
 - (a) ensure that it has all necessary notices and consents in place to enable lawful transfer of the Shared Personal Data to the Permitted Recipients for the Agreed Purposes;
 - (b) give full information to any data subject whose personal data may be processed under this agreement of the nature such processing. This includes giving notice that, on the termination of this agreement, personal data relating to them may be retained by or, as the case may be, transferred to one or more of the Permitted Recipients, their successors and assignees;
 - (c) process the Shared Personal Data only for the Agreed Purposes;
 - (d) not disclose or allow access to the Shared Personal Data to anyone other than the Permitted Recipients;
 - (e) ensure that all Permitted Recipients are subject to written contractual obligations concerning the Shared Personal Data (including obligations of confidentiality) which are no less onerous than those imposed by this agreement;
 - (f) ensure that it has in place appropriate technical and organisational measures, reviewed and approved by the other party, to protect against unauthorised or unlawful processing of personal data and against accidental loss or destruction of, or damage to, personal data.
 - (g) not transfer any personal data received from the Data Discloser outside the EEA unless the transferor:

- (i) complies with the provisions of Articles 26 of the GDPR (in the event the third party is a joint controller); and
- (ii) ensures that (i) the transfer is to a country approved by the European Commission as providing adequate protection pursuant to Article 45 GDPR; (ii) there are appropriate safeguards in place pursuant to Article 46 GDPR; or (iii) one of the derogations for specific situations in Article 49 GDPR applies to the transfer.

1.4 **Mutual assistance.** Each party shall assist the other in complying with all applicable requirements of the Data Protection Legislation. In particular, each party shall:

- (a) consult with the other party about any notices given to data subjects in relation to the Shared Personal Data;
- (b) promptly inform the other party about the receipt of any data subject access request;
- (c) provide the other party with reasonable assistance in complying with any data subject access request;
- (d) not disclose or release any Shared Personal Data in response to a data subject access request without first consulting the other party wherever possible;
- (e) assist the other party, at the cost of the other party, in responding to any request from a data subject and in ensuring compliance with its obligations under the Data Protection Legislation with respect to security, breach notifications, impact assessments and consultations with supervisory authorities or regulators;
- (f) notify the other party without undue delay on becoming aware of any breach of the Data Protection Legislation;
- (g) at the written direction of the Data Discloser, delete or return and delete Shared Personal Data and copies thereof to the Data Discloser on termination of this agreement unless required by law to store the personal data;
- (h) use compatible technology for the processing of Shared Personal Data to ensure that there is no lack of accuracy resulting from personal data transfers;
- (i) maintain complete and accurate records and information to demonstrate its compliance with this Schedule 4 and allow for audits by the other party or the other party's designated auditor; and
- (j) provide the other party with contact details of at least one employee as point of contact and responsible manager for all issues arising out of the Data Protection Legislation, including the joint training of relevant staff, the procedures to be followed in the event of a data

security breach, and the regular review of the parties' compliance with the Data Protection Legislation.

- 1.5 **Indemnity.** Each party shall indemnify the other against all liabilities, costs, expenses, damages and losses (including but not limited to any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal costs (calculated on a full indemnity basis) and all other reasonable professional costs and expenses) suffered or incurred by the indemnified party arising out of or in connection with the breach of the Data Protection Legislation by the indemnifying party, its employees or agents, provided that the indemnified party gives to the indemnifier prompt notice of such claim, full information about the circumstances giving rise to it, reasonable assistance in dealing with the claim and sole authority to manage, defend and/or settle it. The liability of the indemnifying party under this clause shall be subject to the limits set out in 22 of the Terms and Conditions of this Contract.